















*A night-glory at your window
keeps your morning clean and bright*







iNNOVATIVE
uPVC WINDOW & DOOR SOLUTIONS

INNOVATIVE CASEMENT DIAMOND SERIES - 60 MM




SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
1	CASEMENT WINDOW OUTER FRAME	I-CW-OT-001	* 		1.020	6	5.9
2	CASEMENT OUTWARD WINDOW SASH	I-CW-OT-002	** 		1.210	6	5.9
3	CASEMENT OUTWARD DOOR SASH	I-CW-OT-003	** 		1.570	4	5.9
4	T - MULLION	I-CW-OT-004	** 		1.050	6	5.9
5	CASEMENT INWARD WINDOW SASH	I-CW-OT-006	** 		1.230	6	5.9
6	CASEMENT INWARD DOOR SASH	I-CW-OT-007	** 		1.45	4	5.9
7	CASEMENT SINGLE GLAZING BEAD - 5/6 MM	I-CW-OT-008	* 		0.300	20	5.9
8	CASEMENT DOUBLE GLAZING BEAD - 24 MM	I-CW-OT-009	* 		0.219	15	5.9

* Single Rubber co extrusion weight add 0.045 kg / m & ** double rubber co -extrusion, weight add 0.09 kg/m & # Specific order

INNOVATIVE CASEMENT DIAMOND SERIES - 60 MM

SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
9	SMALL COUPLER (60-60 MM)	I-CW-OT-011			0.250	20	5.9
10	90 JOINTER (60-60 MM)	I-CW-OT-013			0.717	4	5.9
11	DOOR PANEL (20 MM)	I-CW-OT-015			0.580	5	5.9
12	LOUVER CLIP	I-CW-OT-016			0.260	30	5.9
13	LOUVER	I-CW-OT-017			0.16	30	5.9
14	60-80 JOINTER	I-CW-OT-018			0.380	30	5.9
15	CASEMENT FLY MULLION	I-CW-OT-020	* 		0.933	6	5.9

INNOVATIVE CASEMENT VENTO SERIES – 42 MM

16	CASEMENT VENTILATOR FRAME	I-CW-OT-501	* 		0.670	8	5.9
17	T - MULLION	I-CW-OT-063	** 		0.840	6	5.9
18	SINGLE GLAZE BEAD - 5/6 MM	I-CW-OT-059	* 		0.275	20	5.9











* Single Rubber co extrusion weight add 0.045 kg / m & ** double rubber co -extrusion, weight add 0.09 kg/m & # Specific order

INNOVATIVE SLIDING PYRAMID SERIES – 60-90-110 MM

Sl. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
29	2-T OUTER FRAME	I-SL- OT-051			1.100	6	5.9
30	2-T OUTER FRAME	I-SL-OT-051A			1.130	6	5.9
31	2.5-T OUTER FRAME	I-SL- OT-052A			1.280	6	5.9
32	3-T OUTER FRAME	I-SL- OT-053			1.600	4	5.9
33	57 MM WINDOW SASH	I-SL- OT-062	*		0.847	8	5.9
34	66 MM WINDOW SASH	I-SL- OT-054	*		0.992	6	5.9
35	86 MM DOOR SASH	I-SL- OT-055	*		1.230	6	5.9









* Single Rubber co-extrusion weight add 0.045 kg / m & ** double rubber co-extrusion, weight add 0.09 kg/m & # Specific order

INNOVATIVE MONORAIL SYSTEM -67 MM

SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
46	MONORAIL FRAME	I-CW-OT-071	* 		1.170	6	5.9
47	MONORAIL MULLION	I-CW-OT-076	** 		0.695	8	5.9
48	55MM WINDOW SASH	I-ES-OT-102			0.840	8	5.9
49	66 MM WINDOW SASH	I-ES- OT-112	* 		0.925	8	5.9
50	80 MM DOOR SASH	I-ES- OT-103	* 		1.220	4	5.9
51	CASEMENT SINGLE GLAZE BEAD-5/6 MM	I-ES-OT-105			0.240	30	5.9
52	SASHCOVER FOR 55 MM	I-ES-OT-104			0.190	30	5.9







* Single Rubber co-extrusion weight add 0.045 kg /m & ** double rubber co-extrusion, weight add 0.09 kg/m & # Specific order

INNOVATIVE VILLA WINDOW -97 MM


SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
60	97 MM VILLA WINDOW OUTER FRAME	I-VL-OT-046			1.300	4	5.9
61	VILLA WINDOW MULLION	I-VL-OT-047	** 		1.300	4	5.9
62	97 MM VILLA WINDOW MULLION	I-VL-OT-048	* 		0.670	8	5.9
63	ECONOMY SASH MULLION	I-ES-OT-109			0.667	8	5.9
64	CASEMENT WINDOW SASH	I-CW-OT-002	** 		0.300	18	5.9
65	CASEMENT SINGLE GLAZE BEAD -5 MM	I-CW-OT-008			0.300	20	5.9
66	CASEMENT DOUBLE GLAZING BEAD -24 MM	I-CW-OT-009	* 		0.219	15	5.9
67	SL. SINGLE GLAZING BLEED - 5/6 MM	I-ES-OT-105			0.240	30	5.9

* Single Rubber co-extrusion weight add 0.045 kg / m & ** double rubber co-extrusion, weight add 0.09 kg/m & # Specific order






INNOVATIVE 80MM DOOR SERIES

SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
68	80 MM DOOR OUTER FRAME	I-CW-OT-251			0.900	6	5.9
69	80 MM DOOR SASH	I-CW-OT-252			1.050	4	5.9
70	80 MM DOOR MULLION	I-CW-OT-253			0.984	6	5.9
71	20/150or15/150 MM DOOR PANEL	I-CW-OT-254			0.733	6	5.9
				thi ckeni ng	0.898	6	5.9
72	80 MM DOOR DOUBLE GLAZING BEAD -20MM	I-CW-OT-255			0.240	30	5.9
73	80 MM DOOR DOUBLE GLAZING BEAD -24 MM	I-CW-OT-256			0.150	30	5.9

* Single Rubber co-extrusion weight add 0.045 kg /m & ** double rubber co-extrusion, weight add 0.09 kg/m & # Specific order



INNOVATIVE 60MM DOOR SERIES

SI. No.	NAME & DETAILS	CODE NO	SECTIONAL VIEW	REINFORCEMENT	WEIGHT / METER	PACK QTY.	LENGTH (MTRS)
74	60MM DOOR OUTER FRAME	I-CW-OT-261	* 		0.680	6	5.9
75	60 MM DOOR SASH	I-CW-OT-262	* 		0.770	4	5.9
76	60 MM DOOR MULLION	I-CW-OT-263	** 		0.790	6	5.9
77	20/150 MM DOOR PANNEL	I-CW-OT-254	* 		0.900	8	5.9
78	80 MM DOOR SINGLE GLAZING BEAD- 5 MM	I-CW-OT-255	* 		0.240	30	5.9
79	80 MM DOOR DOUBLE GLAZING BEAD -20 MM	I-CW-OT-256	* 		0.150	30	5.9

* Single Rubber co-extrusion weight add 0.045 kg /m & ** double rubber co-extrusion, weight add 0.09 kg/m & # Specific order





INNOVATIVE

uPVC WINDOW & DOOR SOLUTIONS

Our Ware Houses in INDIA



Corporate Office:
Flat No. 3,
B.V.K. Praneetha Residency,
Opp. Hi Bakery, Nizampet Road,
Kukatpally, Hyderabad - 500 072.
Telangana State, INDIA.



SRIDHAR. MN
CEO



+91 9989172444



mnsridhar@innovativegroupindia.in

iproductsm@gmail.com



www.innovativegroupindia.in

Manufacturing Unit:
Sy. No: 55/A, AA
Thurkhalakhanapur
Hathnoora(Mdl)
Sangareddy(Dist.)
Telangana - 502 296